

DYNAMIC BLUE / GREY ➤ SICILIA
45



► ROUNd 9



> siena 250 14·15



> ALPES 300·360 22



► canopy iBiza



PANELES LATERALES FRONTALES CARAVANSTORE 10



GAlileo Lux 250·270 **16**·17



> ALPES 400 SILVER 23



>canopy verona



CAMPER 7



CS-ACTIVA



> **STELA** 250·300·350 **18**·19



Puigmal 250 **24**



FRONT SUN CANOPY



DIVERSUS 8



> FLORIDA 250 12·13



Fjord 300 **20**·21



> MERCURY 360.420 25





CAMPING 2.0

Not all awnings are designed and manufactured to the same specification. At INACA, our range is conceived to fulfil the requirements of each caravanner. Before purchasing an awning it is important to think about the various features that might interest you.

We have stressed some of the features that should be considered in order for you to select the correct awning.

Spaciousness: The depth of awning you select is determined by the size of your pitch. The European standard in awning depth is 250cm. INACA also offers depths of 270cm, 300cm and even 350cm to provide suitable alternatives for every customer.

Materials: The canvas of an awning can be manufactured in many different types of material. At INACA we offer; Acrylic (strong and breathable), Polyester Acryl (breathable, acrylic touch and polyester advantages), Polyester PVA (lightweight, breathable and very durable) and Polyester PVC (very strong and easy to clean). All of these high quality materials are waterproof and resilient.

Mosquito netting and ventilation: For your comfort in warmer weather it is important that the awning is correctly ventilated. We offer awnings with mosquito netting in the side panel(s) coupled with ventilation in the upper central part of the front wall. Ventilation also serves to lessen undesired condensation. Awnings fabricated completely from Polyester PVC are more prone to excess condensation (non-breathable).

Windows and zip down covers: The composition of the panels along the front wall may vary according to the size of your awning and the model chosen. On certain models the windows will be provided with zip down covers, preserving the window material from adverse external weather conditions and offering additional privacy.

Frames: We supply high quality frames made by Campion with our awnings. Our standard frames are 25mm Ø galvanised steel. They are galvanised both from the outside and inside thus avoiding any chance of oxidation. INACA also offers lightweight frames in its range, including aluminium and top quality fibreglass (available only on certain models).

Fixing system: We supply the FIX-ON system from Campion as standard with most models. These specialised fixtures allow you to fit the awning to your caravan without any screws.

INACA shares with its associates the pride of using top quality materials and components throughout the manufacture of all our products.

The distinctive CONFIDENCE IN TEXTILES, tested for harmful substances, according to Ökotex Standard 100 guarantee that the materials used in our awnings (Sauleda and Ten Cate Technical Fabrics) are safe materials not hazardous for your health.





















DYNAMIC BLUE/GREY To fit FIAMMA and OMNISTOR. New privacy model syrileble in all sizes and heights. It some

New privacy model available in all sizes and heights. It comes in a new colour combination and is provided with doors and windows with mosquito netting in the sides. The front door is an independent panel and may be moved to any frontal position.

The base panel is 300cms long, to which we can add 50 cms and 100cms(with window) panels according to the length of the canopy. This is supplied together witht the original alloy Fiamma frame Clip System.

To fit Canopies:

FIAMMA F45S, F45L, f45ti, F45i, F50,F50,F55 & F1 OMNISTOR 5003 y 5002 (with adapter).

New version Dynamic 8000 to fit Omnistor 8000 from 4m long.

Available in different heights:

S (220-245cm), M (246-270cm), L (271-290cm) and XL (291-305cm). Curtain set is optional.

Weight (for Dynamic 300): 16,5 Kg

SIDE WALL FOR CANOPY

New side panel available to fit FIAMMA and OMNISTOR. Supplied with original FIAMMA alloy rafter. Available in height range 235-270cms Left and right side panels. New side panel available to fit FIAMMA and OMNISTOR canopies. Provided with original alloy rafter by FIAMMA. Adjustable in height from 235-270cms. Optional window cover available.





► SICILIA

This Sicilia unit can be adapted to fit FIAMMA & OMNISTOR canopies with a depth of 2.50 m. The length provided is from 300 cm onwards. The awning is manufactured completely in PVA Polyester Rip-Stop material and its design perfectly balances elegance, practicality and strength. This model can be dismantled in parts, leaving the side or front panels connected; The front panel starts at 3 m. (Extra panels of 1m and 0,50m can be added).

To fit Canopies:

FIAMMA F45S, F45L,F45ti, F45i, F50,F55 & F1




















Available in diferent heights, to fit caravans and motorhomes (to be attached to the front guide on FIAMMA or OMNISTOR canopies). This model is universal and can be adapted to any caravan/canopy as the pegging system is adjustable in height. It requires at least 250 cms of straight caravan profile. The front can be rolled up and also placed as a sun canopy. The two windows have interior roll down covers.

Very lightweight and functional awning, manufactured in Polyester. Elegant and innovative design in curved shape, combining fibre glass with alloy frame.

Every side panel has a door with mosquito netting and a window with roll down cover on the interior. The mudflaps go to the inside. The caravan draught skirt as well as the groundsheet are optional.

SPECIFICATIONS

DIMENSIONS:

Caravan (235-248cms), Motorhome L 250-

270cm & XL 270-290cm COLOURS:

MATERIALS: Polyester. ROOF: Grev Polyester.

Polyester. Blue and grey. FRONT /SIDES:


On side doors.

SKIRT: Polvester.

MUDFLAPS: Polypropolyene. To the inside.

FRAME: Fibre glass and alloy. **PEGGING SYSTEM**: Adjustable with strap.





Blue and light grey.

MOSQUITO:

Mosquito net on the upper part of side panel. VENTILATION:

16 kgs. WEIGHT:

Available in different heights, to fit caravans and motorhomes. (to be built on

It is a very lightweight awning, manufactured in polyester with an elegant

that your vehicle has enough length of straight rail (at least 250cms).

and innovative curved design. It is provided with an alloy frame. It is required

The front and side panels can be removed. Mosquito net window in both sides,

the front guide of any Fiamma or Omnistor canopy).

internal cover flap on all windows.

The mudflaps lay inside.

SPECIFICATIONS

DIMENSIONS: Length 350 m. Depth 220 m.

Caravan (235-248cms), Motorhome L 250-270cm, HEIGHTS:

Motorhome XL 270-290cm

COLOURS: Light and dark grey. MATERIALS: Polyester. Breathable.

WEIGHT: 16 Kg.

See technical specifications on pages 35-37



They are manufactured in Polyester Rip-Stop material for a range of heights between 235 and 255cms.

Side panels with window. Left and Right panel to be sold separately The original anodized alloy pole for the roof is included.

Front panels to fit Caravanstore 255-280-310-360-410 & 440.

Fronts are provided with windows and rolling door with zip.

Also available a special version to fit FIAMMA F35.



New privacy to fit FIAMMA Caravanstore.

Manufactured in Polyester Rip-Stop material in an attractive colour combination. The front is provided with a removable door panel. The front and side panels are linked by zips.

CS-ACTIVA FOR CARAVANSTORE

The sides are tensioned against the vehicle wall through elastic cords. The frame is original FIAMMA Easy Clip.

HEIGHT: Adjustable. to fit all caravans

DEPTH: As the canopy COLOURS: Light and Dark grey MATERIALS: Polyester PVA Rip-Stop MOSQUITO NET: In side windows FRAME: Easy Clip FIAMMA

SIZES: Canopies from 225cm to 440cm long.

For FIAMMA Caravanstore TYPES:

(INACA

MACA



Innovative and multifunctional awning that combines anthracite grey and light grey. It is manufactured in Polyester Acryl walls and printed polyester on the roof.

This is a very practical, lightweight and flexible awning. The whole awning may be completely closed, transformed into a veranda, or into a sun canopy. Standard lightweight alloy frame supplied.

The front is removable in two panels and has three windows, one has a roll down cover with mosquito netting. The door remains in the centre.

Both curved side panels are also detachable and have a window.

OPTIONAL

- · UNI STORM STRAPS · INNER ROOM · VERANDA BARS · FRONT SUN CANOPY · ROOF LINER

See technical specifications on pages 35-37

FLORIDA 250 **13**



14 SIENA 250





0.300.350 5

STELa 250-300-350







Available in three versions: Standard at 250 cms, extra space at 300 cms and special limited series at 350 cms deep.


It is an attractive awning, balancing strong, finely designed features while boasting an elegant combination of colours such as light and dark grey. Our ultimate goal is to create an outstanding product in the caravanning market, the Stela balances ambient levels of light with space and comfort to achieve this.

The front wall, with three/four transparent windows and one/two detachable doors that may be moved in any direction, allows for all possibilities of variation.

Each side panel features one door and a roll down window with mosquito net. Models in 300/350 version will also provide another window.

The whole awning may be completely closed, transformed into a veranda, or into a sun canopy. Double mudflap provided.





- · UNI STORM STRAPS
 · INNER ROOM
 · VERANDA BARS
 · ANNEXE
 · ROOF LINER
 · RAIN GUTTER
 · FIBRE GLASS FRAME
 (250 ONLY)



18 STELA 250 · 300 · 350

STELA 250

STELA 250 · 300 · 350 **19**



· UNI STORM STRAP
· VERANDAH BARS
· STANDARD INNER
ROOM
· FRONT SUN CANOPY
· ROOF LINER.

See technical
specifications on
pages 35-37

Fjord 300

ALPES 300-360

Two available versions: 300 and 360cms. These models have a roof with a double apex and reinforced seams. It is very strong with a harmonious design. These are universal awnings and may be adapted to most types of caravans, since the fixing system is adjustable in height (235-248cms). The fixing system to the caravan consists of foam filled pads and Fix On system adaptable to any surface and it is reinforced with side legs.

The only requirement is that your caravan has enough straight awning channel for the correct fitting of the porch.

The front panel(s) has two large windows. It may be removed and may also be used as a veranda.

Each side panel has a door and a window (the right panel may be rolled up and has a mosquito net).

ALPES 400 SILVER

This awning has a roof with a double apex and reinforced seams. It is very strong and with a harmonious design. This is a universal awning and may be adapted to most types of caravan, since the fixing system is adjustable in height (235-248cms). The fixing system to the caravan consists of foam filled pads and Fix On system adaptable to any surface and it is reinforced with side legs.

The only requirement is that your caravan has enough straight awning channel for the correct fitting of the porch.

The front panels have two large windows. It may be removed and may also be used as a veranda. Each side panel has a door and a window (the right panel has a mosquito netting).



OPTIONAL

· UNI STORM STRAP · FRONT VERANDA BAR · ROOF LINER

ALPES 360 WITH COVERS

specifications on pages 35-37

(INACA

PUIGMAL 250

New dimensions for this strong and compact awning that provides a very valuable shelter space.

Perfect for the winter season and can be used in a small space. It has a reinforced structure and a double apex roof.

Adaptable to caravans with at least 2,65 mts of straight caravan rail. Adjustable height - fits any caravan between 230 and 250 cm. It features a mosquito net on the upper part of the left side panel. The front panel has two windows and can be closed completely via zip down covers.

Each side panel has a door.

















pages 35-37

1 INAC

MERCURY 360-420 **25**



Available in two versions: 360 and 420 cms. These awnings are manufactured in polyester Acryl and are supplied with an alloy

These are universal awnings and may be adapted to most types of caravan, since the fixing system is adjustable in height.(235-248cms) The fixing system to the caravan consists of foam filled pads and Fix On system adaptable to any surface and it is reinforced with side legs.

The only requirement is that your caravan has enough straight awning channel for the correct fitting of the porch.

The front panel is removable and has two windows and two doors.

Each side panel is removable and has a door and a roll up window with mosquito netting in the right panel. An annexe is available. Front veranda bar included.




MATERIALS: PVA Polyester. Plain Grey. Fully breathable. Galvanised steel legs 25 mm. Ø.

From 710 cm. (R) to 1185 cm. (Z). OPTIONAL: Plain Grey and Blue side panels.

Panels with integral window.

Prenox Steel 270/Fibreglass 270 frames.

Draught skirt and wheel cover.



Side panel for the front sun canopy. Manufactured in PVA Polyester, with a big window. It can be adapted in both sides and is linked to the roof by PVC profiles.

Fitting accessories are included.

VERONA

To fit caravans and Motorhomes (to the front rail of FIAMMA F45, Caravanstore & Omnistor.)

Designed to provide a wide area of shade following assembly. Manufactured from Rip-stop PVA Polyester material, fully breathable in a new colour combination.

Lengths available 250-300-350-400-450-500 and 550 cm to fit the lenghts of Fiamma canopies. Depth is 240cms.



Fitting under canopy

awning when ordering.

FRONT SUN CANOPY

Sizes available from 710 cm(R) to 1185 cm (Z).

The most practical way to extend your awning, manufactured in breathable Grey or beige PVA Polyester with 240 cms depth. The galvanized steel frame and accessories for correct fitting

are included. It fits to the awning underneath the front canopy. It is advisable to supply the year of the manufacture of your

26 CANOPIES

Optional side panels can be linked to the canopy through

a straight zip. Supplied as standard with steel legs but

also available with Prenox 270 or Fibreglass 270 frames.

The caravan draught skirt is optional.

S cessorie

LUXE/UNI LUXE



Annexes

An extra space attached to the side panel of your awning. Manufactured from PVA Polyester and PVC mudflaps. Ideal for use as storage room, kitchen space or bedroom (optional inner tent). Available in Grey or beige. Dimensions: 125 cms deep. 225 cms Long. Height: 175cm at the apex.

LUXE/

A door and two Windows on the front, one of them with mosquito UNILUXE To fit all awnings 2013 except Florida.

STORAGE

Plain PVA Polyester to provide privacy. To fit Stela, Mirage & Sands.

UNI STORAGE

Available with a window with mosquito and blind cover. To fit only Galileo Lux, Paradiso, Siena and Mercury.

UNISTORAGE

ANNEXES Luxe	Stela/Mirage/Sands ♦	Paradiso/Galileo/Siena	Mercury
Storage	*		
UNI Luxe	·	*	
UNI Storage		*	
MERCURY			*



Ideal to shield you from the wind and also provides privacy. Lightweight and breathable. The frame and pegging accessories are inleuded. It is 460 cms long and 140cms high, divided in three panels. Availbale in PVA polyester, with window. Also in acrylic without window in both light and dark



Inner roof Ideal to avoid condensation

and achieve better thermoisolation. It is manufactured in Polyester cotton grey materials and is available in all sizes to fit awnings of 250, 270 and 300 cms deep. It is easily attached to the frame through PVC hooks and to the back inner beading through special fixations.



Lago Curtain Protects from Light, heat and insects.



Wheel cover for caravans and for campers. Tow-bar cover.



Plastic Matting Clean with quick and easy fitting. Available in 33 cm. (Light and flexible) and 50 cm. (Heavier and rigid).

UNI Storm straps





Thermal Blind Provides protection from cold and Light. Padded grey PVC. Ideal for all types of caravan.



Sunblind

A practical and attractive detail, manufactured in high quality acrylic. For caravans (200 x 90





Front Verandah bar R-S-T-U 220 cm.

Front Verandah bar V-W-X 325 cm

Side Verandah Bar.

This fixing system, very light and easy, is linked to the second beading on the canvas of your awning, enabling you to attach the roof poles without the need to fix brackets on your caravan.


Front Verandah Bar Fibre V-W-X 325 cm.




Reinforcement roof pole Fibre 270 cm, AX Front Verandah Bar Fibre R-S-T-U 240 cm.



28 ACCESSORIES





30 Curtains Self-Standing Tents **31**

SELF-STANDING TENTS

TEIDE Storing tent.

SPECIFICATIONS

DIMENSIONS: 195 cm length x 160 cm depth.
HEIGHT: 190 cms.
MATERIALS: Polyester PVC. Blue and

light grey.

VENTILATION: Window with mosquito net and zip down cover.

22 Kgs. WEIGHT:

NEPAL With zip down covers

SPECIFICATIONS

CURTAINS:

DIMENSIONS: 240 cm length x 145 cm depth.
HEIGHT: 220 cms.
MATERIALS: Polyester PVC. Blue and Light

grey. In three windows. (sides and one back). MOSQUITO:

Ten curtains. BLIND COVERS: In all windows.

WEIGHT: 31 Kgs.



Removable Front, 2 doors.


SPECIFICATIONS

DIMENSIONS: 210 cm. lenght x 145 cm. depth.

215 cm.

PVC Trevira. Blue and light grey. In three Windows (sides and MOSQUITO:

one back) BLIND COVERS: In all Windows. Eight curtains 25 Kg CURTAINS: WEIGHT:



SPECIFICATIONS


DIMENSIONS: 300 cms length 180 cms depth.

HEIGHT: 210 cms.
MATERIALS: Trevira PVC. Blue and light grey.
MOSQUITO: At three windows. (sides and

one back)
BLIND COVERS: In all widnows. CURTAINS: Nine curtains.

33 Kg. WEIGHT:









VIK



MUSSLA



TRUT



DIS

	250	300	
REY	Χ		
(Ligth Grey)	Х	Х	
(Dark Grey)	Х	Х	
A (Ligth Blue)	Х	Х	
(Dark Blue)	Х	Х	
	(Dark Grey) A (Ligth Blue)	(Ligth Grey) X (Dark Grey) X A (Ligth Blue) X	(Ligth Grey) X X (Dark Grey) X X A (Ligth Blue) X X



by Bolon

SUPPLIED BY INACAS RETAILER





Bolon. The swedish original camping carpet

Colección Bohüslan Plus.

The Bohüslan collection has the widest range of colours with a simple design that matches all tents.

A very economical carpet that thanks to its low weight ans flexible weave,
is both easy to handle and great to walk on.

WEIGHT IN KG (ca.) SIZE 750 736-760 775 761-785 1025 1011-1035 1075 1061-1085 1125 1111-1135 1150 1136-1160 87 75 68 1175 1161-1185 1200 1186-1210 89 77 ∠-∠ 1225 1211-1235

How to choose your awning?

Inaca offers a wide range of awnings. Each of them has different performance qualities to satisfy every caravanner's specific needs. Therefore, it is very important to choose an awning that suits your needs. Do not he sitate to ask your distributors for advice. Their professional assessment will help you with your choice.

Which is the most suitable awning for your caravan?

When buying your awning, our distributors will need to know the Brand, Model, and Year of your caravan. If you are unsure about any of these facts, Inaca offers you a quick and efficient guide classifying the awning's size according to the perimeter of each caravan.

For instance:

If your caravan has a perimete of 944 cms (Measurement from A to B), the appropriate awning for you is V-950.



Some important suggestions:

Always pay special attention at measuring the perimeter of your caravan; The correct selection of the size you require is a determinant factor for the proper erection of your awning.

According to the different sizes the distribution of the front panel may vary. Pay attention at the diagrams in order to avoid misunderstandings. Never pack your awning when wet.

Never clean your awning with products that may damage the materials. When you use your PVC awning for the first time under rainy conditions, it is possible that the seams may leak initially. The problem will disappear whenthe stitching has swollen into place over the following days use.

All weights and measurements shown in this catalogue are approximate. INACA, SA reserves the right to make improvements/changes on the products We want to thank to the Council of Sant Boi de LLobregat, to our partners and to everyone who has participated in the creation of this catalogue.

TANKS SALVER TO SEE																
AWNING RANGE	F	or Motorhome	es and Carava	ans	Caravanstore	For Caravans		For Caravans For Caravans						Winter Use		
MODEL	Dinamyc Grey/Blue	SICILIA	DIVERSUS	ROUND	CS-ACTIVA	FLORIDA 250	SIENA 250	GALILEO 250/270	SANDS 250	STELA250/300/350	FJORD 300	MIRAGE 300 / 250	ALPES 300 / 360	ALPES 400	PUIGMAL 250	MERCURY
						S - T - U - V	S - T - U - V - W	R-S T - U - V	S - T - U - V	S - T - U - V - W	T - U - V	S T - U - V				
				1												
Front division		***************************************				W - X	X - Y - Z	W - X	W - X - Y - Z - ZZ	X - Y - Z - ZZ	W - X - Y - Z - ZZ	W - X - Y - Z - ZZ				
PERIMETRES			100000000000000000000000000000000000000	9		786-1085	786-1185	710-1085	786-1235	786-1235	836-1235	786-1235				
SIZES	300-600	300-600		Name of the last	225-440	STUVWX	STUVWXYZ	RSTUVWX (R only 250)	STUVWXYZ-ZZ	STUVWXYZ-ZZ	TUVWXYZ-ZZ	STUVWXYZ-ZZ				
FRAME	Clip System	Clip System	Fibre & Alloy	Alloy	Easy Clip	Alloy	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Alloy
FIXING SYSTEM	FIAMMA kit	FIAMMA kit	Fix-on System	Fix-on System	FIAMMA kit	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System	Fix-on System
DEPTH + CANOPY	to fit canopy 250cm	to fit canopy 250cm	200 cms	220 cms	225 cms	250+25cms	250+ 30 cms	250/270+30 cms	250+ 30 cms	250/300/350+30cm	300+30cm	250/300+30cm	240+20 cm	240+20 cm	180 cm	360/420 + 20 cms
LENGTH	Base 300+ panels	Base 300+ panels	250 cm	350 cms	as Caravanstore					10 mar (13 Mar 198)	60mh_2330	Sales and the sales are	300/360 cm	400 cm	250 cm	240 cm
REMOVABLE FRONT PANEL	In panels	In panels	2 Roll-up			2 panels	4/6 panels	2/3 panels	2 panels	4/6 panels	2 panels	2/3 panels	1/2 panel	2 panels		
REMOVABLE SIDE PANELS		PROCESS BOOKS									TATAL BEACH					
SIDE PANEL WINDOWS	Removable	Removable	Fix	Fix	Removable	Fix	Removable	Removable	Removable & Fix	Removable & Fix	Removable & Fix	Removable & fix	Removable & Fix	Removable & Fix		Removable
SIDE PANEL MOSQUITO NET						At front panels	PERSONAL PROPERTY.		Right side panel			(40)-7	Right side panel	Right side panel		Left side panel
ROOF MATERIAL	Canopy	Canopy	Nylon	Polyester	Canopy	Printed PVA	Polyester PVC	Polyester PVC	Printed PVA	Printed PVA	Printed PVA	Printed PVA	Poliester PVA	Polyester PVA	Polyester PVC	Printed PVA
ROOF COLOUR	Canopy	Canopy	Grey	Grey	Canopy	Grey	Grey	Grey	Grey	Grey	Grey	Beige	Grey	Grey	Grey	Grey
WALL MATERIALS	Polyester Rip-Stop	Polyester Rip-Stop	Nylon	Polyester	Polyester Rip-Stop	Polyester Acryl	Polyester Acryl	Polyester PVC	Acrylic	Polyester PVA	Acrylic	Poliester PVA	Poliester PVA	Acrylic	Polyester PVC	Polyester Acryl
WALLS COLOUR	Grey/ or Blue&Grey	Blue & Light Grey	Blue & Grey	grey/antracite	Light & dark grey	Antracite & Grey	Antracite & Grey	Blue/Grey	Light & dark grey	Silver/ Grey	Grey / Blue	Beige/Blue	Blue & Grey	Light & dark grey	Blue & Grey	Antracite & Grey
AWNING SKIRT	Polyester Rip-Stop	Polyester Rip-Stop	Nylon	Polyester	Polyester Rip-Stop	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC
MUDFLAP	Polyester PVC	Polyester PVC	Polipropilen	Polipropilen	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC	Polyester PVC
NUMBER OF DOORS	3 (1 mobile)	1	4 doors	2 doors	1 mobile	1 door	5 doors	3/4 doors	4 doors	3/4 doors	4 doors	3/4 doors	2/4 doors	4 doors	2 doors	4 doors
WINDOW COVERS			Interior	interior	#4 Grey											
CURTAINS	#4/#5	#5 Blue				#4 Grey	#4 Grey	#2 Fossil	#4 Grey	# 4 Grey	# 5 Blue	#2 Fossil	#4 Grey	#4 Grey	#4 Grey	#4 Grey
UPPER CENTRAL VENTILATION													Side panel	Side/ Front	Lateral	
OPTIONAL ACCESORIES																
FRONT VERANDAH BAR																
SIDE VERANDAH BAR																
STANDARD ROOM																
ANNEXE																
FIX-ON SYSTEM																
RAIN GUTTER																
STEEL FRAME							Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	
FIBRE GLASS FRAME										only 250		only 250				
OPTION GREY PVC ROOF										only 250		only 250				
									<u></u>							
20																27



MITAGE 250-300

- Two different versions in different depths.
- · WM1 ten Cate top quality
- · Zip down covers on all windows.
- · Doubble mudflaps.
- · Prenox galvanised steel frame

New awnings, of top quality, with full Inaca guarantee.
Untimed design and maximum specifications on the follwoing awning models.
Mirage 300, Marina 250/350, Sands 250 Silver, Burgundy and green.

SANDS 250 SILVER

- · Maximal quality on 300gr Acrilic
- · WM1 Printed Ten Cate top quality.
- · Inner mudflaps.
- Prenox galvanised steel frame.





ANDORRA Viladomat / Intersport Outdoor

Avda, Santa Coloma 118 AD500 Andorra la Vella viladomat@viladomat.com Tel. +376 800 916

THE NETHERLANDS Maryvo International BV

Van Leeuwenhoekweg 40 5482 TK Schijndel T.: +31 735472727 info@maryvo.com

PORTUGAL Sr.Zeferino Dos Santos

Calcada 171 8150 S.Bras de Alportel zeferino.camping@gmail.com Tel: +351 28 9843839

AUSTRALIA Rv Asia Pacific Pty

6-12 Cotlew Street East 4215 Southport, Queensland 101 Reykjavík Tel. +61 7 5558 0444 chris.swann@rvap.com.au

ICELAND Seglagerðin Ægir

Eviarslóð 5, Tel. +354(0)511 2200 seglagerdin@seglagerdin.is

SWEDEN

Bergholm Fritidservice AB Gesällgatan 6 681 42 Kristinehamn Tel.+46(0)55038080 patrik.jonsson@bergholm.com

DENMARK Storstroms **Camping Service**

Nykøbingvej 58 4840 Nr. Alslev service@campingservice.dk Tel: +45 55372805

NORWAY **Max Fritid Engros AS**

Postboks 244 N-6301 Andalsnes Tel. +47 71220200 www.maxfritid.no

UNITED KINGDOM Inaca UK Ltd

27 Oakdale Rd. BS16 6DP Downend-Bristol Tel +44(0)7894200373



FRANCE Soplair

ZA de Fanjouge 07700 Bourg Saint Andeol Tel:+33 4 75 54 30 15 soplair@wanadoo.fr

POLAND Camp4u

Klikawa, ul. Leśna 5 24-100 Pulawy Tel. +48(0)501688951 info@camp4u.eu



www.inaca.com e-mail: info@inaca.com